



SCIENCE

STUDENT BOOK

▶ **11th Grade | Unit 6**

SCIENCE 1106

CHEMICAL REACTIONS, RATES, AND EQUILIBRIUM

INTRODUCTION | 3

1. **CHEMICAL REACTIONS** **5**

DETECTION | 5

ENERGY REPRESENTATION | 15

SELF TEST 1 | 30

2. **REACTION RATES** **33**

RATE VARIABLES | 34

REACTION DIAGRAM | 42

SELF TEST 2 | 48

3. **REACTION EQUILIBRIUMS** **52**

EQUILIBRIUM MATHEMATICS | 52

EQUILIBRIUM VARIABLES | 62

SELF TEST 3 | 70

GLOSSARY **74**



LIFEPAC Test is located in the center of the booklet. Please remove before starting the unit.

Author:

Harold Wengert, Ed.D.

Editor:

Alan Christopherson, M.S.

Media Credits:

Page 5: © Ensup, iStock, Thinkstock; **7:** © FroukjeBrouwer, iStock, Thinkstock; **14:** © silverjohn, iStock, Thinkstock; **18:** © Simon002, iStock, Thinkstock; **24:** © kurga, iStock, Thinkstock; **31:** © Jupiterimages, BananaStock, Thinkstock; **36:** © devseren, iStock, Thinkstock; **39:** © Grahamphoto23, iStock, Thinkstock.



**804 N. 2nd Ave. E.
Rock Rapids, IA 51246-1759**

© MM by Alpha Omega Publications, Inc. All rights reserved.
LIFEPAC is a registered trademark of Alpha Omega Publications, Inc.

All trademarks and/or service marks referenced in this material are the property of their respective owners. Alpha Omega Publications, Inc. makes no claim of ownership to any trademarks and/or service marks other than their own and their affiliates, and makes no claim of affiliation to any companies whose trademarks may be listed in this material, other than their own.

CHEMICAL REACTIONS, RATES, AND EQUILIBRIUMS

Introduction

Have you ever wondered why a fire is hot, or why the food you eat produces energy? In both examples, a reorganization of molecules occurs. In the fire, fuel reacts with oxygen to produce heat plus different chemicals. In the case of food eaten, digestion breaks up the molecules so that they can react with oxygen to produce heat (energy) and waste products. The reorganization of molecules involves energy and energy changes.

You will explore how molecular reorganization produces energy, how and why reactions occur, and what controls the rate of a reaction. You may need to review previous LIFEPAcs. Also, be sure to have the Periodic Table from SCIENCE 1101 handy.

Objectives

Read these objectives. The objectives tell you what you will be able to do when you have successfully completed this LIFEPAc®. When you have finished this LIFEPAc, you should be able to:

1. Describe how a reaction can be detected.
2. Interpret energy (enthalpy) diagrams.
3. Explain what factors affect the rates of reactions.
4. Explain Le Chatelier's Principle.
5. Describe an equilibrium condition in a reaction.
6. Apply the Law of Chemical Equilibrium.
7. Explain how condition variables affect an equilibrium reaction.

1. CHEMICAL REACTIONS

With the models of atoms, molecules, and ions developed in previous LIFEPACs, we are now ready to investigate in depth the systems of chemical reactions. What is a chemical reaction? From our investigations so far, we may generalize that in a

chemical reaction the atoms are rearranged to form new substances with new formulas. In other words, *the products (substances produced) are different in molecular makeup from the reactants (substances started with).*

Section Objectives

Review these objectives. When you have completed this section, you should be able to:

1. Describe how a reaction can be detected.
2. Interpret energy (enthalpy) diagrams.

Vocabulary

Study these words to enhance your learning success in this section.

endothermic
enthalpy

exothermic
heat of reaction

precipitate

Note: All vocabulary words in this LIFEPAC appear in **boldface** print the first time they are used. If you are not sure of the meaning when you are reading, study the definitions given.

DETECTION

We see many examples of chemical reactions around us daily. The changing colors of the leaves, the growing of new body cells, the tarnishing of silverware, the fading of the color in paints, and the burning of gasoline in a car are all examples of chemical reactions. Some reactions are easy to detect and others go on too slowly to be noticed. How can chemical reactions be detected?

Solid formation. You studied in Science LIFEPAC 1102 about distinguishing between chemical, physical, and phase changes. Any reaction that caused the starting materials to completely lose their properties to form new and distinct substances was a chemical change. The next set of activities will help you to discover one way a chemical reaction can be detected.

Color change. Another way to detect a chemical change is by comparing colors. When the leaves turn colors in the fall, a chemical change has occurred. The next experiment will show how color is used in reaction detection.



| Rusting is a chemical change.

Do this experiment. Wear goggles.

These supplies are needed:

- 0.01 M sodium chloride, NaCl solution, table salt – 0.58 g/L of solution
- 0.01 M potassium chromate, K_2CrO_4 solution, dilute solution – 1.94 g/L of solution; solid can be purchased at a chemical supply store
- 0.01 M silver nitrate, $AgNO_3$ solution, about 1.7 g/L of solution or a diluted solution; solid or solution can be purchased at a chemical supply store
- several small test tubes
- several medicine (eye) droppers or pipets

Follow these directions and complete the activities. Put a check in the box when each step is completed.

1. Place ten drops of 0.01 M NaCl in a test tube and ten drops of 0.01 M potassium chromate, K_2CrO_4 , in another test tube.

1.1 What do the three solutions look like? _____

2. Put ten drops of silver nitrate, $AgNO_3$, in each of the other two solutions.

1.2 What happened in Step 2? _____

1.3 Why do you believe a reaction did or did not occur? _____

3. In a clean test tube put ten drops each of K_2CrO_4 and $AgNO_3$.

4. Slowly, a drop at a time, add NaCl until a significant change occurs.

1.4 What happened in Step 4? _____

1.5 What is your hypothesis for the observations and changes? _____

Solid Formation Experiment



Do this experiment. Wear goggles.

These supplies are needed:

- 0.01 M acidified iron (II) sulfate, FeSO_4 – 1.52 g/liter of solution and 1 ml concentrated HCl; solid FeSO_4 can be purchased at a chemical supply store
- 0.01 M potassium permanganate, KMnO_4 – 1.58 g/liter of solution; solid KMnO_4 can be purchased at a chemical supply store
- 0.01 M NaCl sodium chloride solution, table salt – 0.58 g/L of solution
- 0.01 M ammonium nitrate, NH_4NO_3 – 0.80 g/liter of solution; solid ammonium nitrate can be purchased at a chemical supply store
- several test tubes or glass baby-food jars
- several medicine (eye) droppers or pipets

Follow these directions and complete the activities. Put a check in the box when each step is completed.

1. Place about 3 ml of 0.01 M acidified iron (II) sulfate, FeSO_4 , in a test tube.
2. Add 6 drops of 0.01 M potassium permanganate, KMnO_4 , 1 drop at a time, shaking the test tube after each additional drop.

1.6 What do the reactants look like? _____

1.7 What happens when the reactants are combined? _____

1.8 Why do you think a reaction has, or has not, occurred? _____

3. Add 10 drops of 0.01 M sodium chloride, NaCl, to 10 drops of 0.01 M ammonium nitrate, NH_4NO_3 .

1.9 What do the reactants look like? _____

1.10 What happens when the reactants are combined? _____

1.11 Why do you think a reaction has, or has not, occurred? _____

Color Change Experiment



Gas formation. We have now seen that chemical reactions can be detected by the change in color and by the formation of a **precipitate**. A third way is found to occur very frequently in nature. The production of methane gas, CH_4 , when living material decays in the absence of oxygen, is a very important example of gas formation in a chemical reaction. This example is the source of natural gas,

the gas used in kitchen stoves, home furnaces, and factories. When the living materials were covered during the time of Deluge (Genesis, Chapters 6-8), the decaying organic materials produced the methane gas. This gas is found both in oil wells and in coal mines.

Our study will investigate this third way to detect chemical reactions.



| Methane can also be harvested from landfills.


Do this experiment. Wear goggles.

These supplies are needed:

- concentrated HCl (hydrochloric acid) – purchased from a building contractor, pool supply, concrete mason, or chemical company; common name is muriatic acid.
- glacial acetic acid – purchased from a chemical supply store
- 6 M HCl – made by putting 50 ml of concentrated HCl into H₂O to make 100 ml
- 1 M HCl – made by putting 8.3 ml HCl into H₂O to make 100 ml
- 0.1 M HCl – made by putting 10 ml of the 1 M HCl in H₂O to make 100 ml
- 6 M acetic acid – made by putting 34.8 ml glacial acetic in H₂O to make 100 ml
- 1 M acetic acid – made by putting 5.8 ml glacial acetic acid in H₂O to make 100 ml
- 5 small chips of blackboard chalk (white is best) or calcium carbonate chips
- 5 small test tubes (purchased from a hobby shop or a chemical supply company)

Follow these directions and complete the activities. Put a check in the box when each step is completed.

1. Set up the following experiment.



1.12 What do the reactants look like? _____

1.13 What did each reaction look like?

a. _____

b. _____

c. _____



804 N. 2nd Ave. E.
Rock Rapids, IA 51246-1759

800-622-3070
www.aop.com

SCI1106 – Feb '18 Printing

ISBN 978-1-58095-586-7

